Date	Student Name
Date	Student Name

ALL Clinical Answers

Instructions: This examination contains 8 questions. You must answer 100% correctly in order to pass this examination. Please answer all questions below by circling the correct answer(s).

1. What are the two patient identifiers utilized throughout the Charity system?

Α	Name and medical record number
В	Date of birth and medical record number
C	Name and date of birth
D	All of the above

2. For patients whose preferred language for health care communication is not English, the Cyracom® phone must be used to obtain consents and when communicating with the patient. What information must be entered into the electronic health record after each use?

A	Operator number
В	Time spent on the phone
С	The operator's full name
D	Attending doctor's name

Date	Student Name

3. In an emergency when a patient is violent, the only time an RN can apply a restraint without an order is:

A	If it is for patient safety, knowing that the patient must be seen for examination	
	and written order by LIP within 30 minutes.	
В	An RN can never apply a restraint without a written order even in an emergency.	
С	If it is an emergency you can do whatever you want.	
D	If it is the night shift.	

4. In a situation with a non-violent patient who requires restraints to prevent him from pulling out his PICC line and NG tube, the nurse can apply the restraint:

Α	If it is the night shift.
В	If the unit is short-staffed.
C	If it is for patient safety, knowing that the patient must be seen for examination and written order by LIP within one hour.
D	To the side rails of the bed, only if they are up.

5. Bon Secours Charity Health System uses the SBAR format as a standardized approach to handoff communication. What does SBAR stand for?

<u>A</u>	Situation, background, assessment, recommendation
В	Symptoms, bed number, action, response
С	Situation, background, action, response
D	Symptoms, bed number, assessment, recommendation

Date	Student Name

6. After leaving the lab, what is the time frame the blood transfusion must be started and then completed?

A	Started within 30 minutes and completed within 4 hours of leaving the lab
В	Started within 10 minutes and completed within 5 hours of leaving the lab
С	Started within 1 hour and completed within 4 hours of leaving the lab
D	Started within 30 minutes and completed within 5 hours of leaving the lab

7. What can be used to hold PureWick in place (select all that apply):

A	Mesh panties
В	Adult incontinence diapers
С	Tegaderm
D	The patient's anatomy

8. How often should you remove TEDS, SCD, or heel lift boots (select all that apply)?

A	every shift
В	once a day
C	as needed
D	at discharge